

	Type	L #	Hits	Search Text
1	BRS	L1	43737	torque near3 (sens\$5 detect\$5 measur\$5 transducer)
2	BRS	L2	21117	1 and (shaft)
3	BRS	L3	639	2 and (circuit near2 board)
4	BRS	L4	492	3 and (housing frame)
5	BRS	L5	383	4 and (unit module)
6	BRS	L6	26	5 and (synthetic near3 resin)
7	BRS	L7	26	6 and (torque)
8	BRS	L8	2	7 and (board) near3 (synthetic near3 resin)
9	BRS	L9	3522	(circuit\$5 board) near3 (synthetic near3 resin)
10	BRS	L10	5	9 and torque near3 (sens\$5 detect\$5 measur\$5 transducer)
11	BRS	L12	2	11 and torque near3 (sens\$5 detect\$5 measur\$5 transducer)
12	BRS	L11	28	(sens\$5 detect\$5 transducer measur\$5) near3 (unit module) near3 (synthetic) near3 (resin)
13	BRS	L13	2	11 and torque
14	BRS	L14	412873	torque
15	BRS	L15	2	14 and (sens\$5 detect\$5 transducer measur\$5) near3 (unit module) near3 (synthetic) near3 (resin)
16	BRS	L16	64	14 and (unit module) near3 (synthetic) near3 (resin)

	DBs	Time Stamp	Comments	Error Definition	Errors
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:54			
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:50			
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:50			
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:50			
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:50			
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:53			
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:51			
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:54			
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:55			
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:56			
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 11:02			
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:58			
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:57			
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:57			
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:57			
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:58			

	Type	L #	Hits	Search Text
17	BRS	L17	1096	(sens\$5 detect\$5 transducer measur\$5) near3 (synthetic) near3 (resin)
18	BRS	L18	14	17 and torque near3 (sens\$5 detect\$5 measur\$5 transducer)
19	BRS	L19	133080	(sens\$5 detect\$5 transducer measur\$5) near3 (housing frame)
20	BRS	L20	70	19 and (circuit) near3 (board) near3 (synthetic resin)
21	BRS	L21	25	20 and (shaft)
22	BRS	L22	3	21 and (torque)

	DBs	Time Stamp	Comments	Error Definition	Errors
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:58			
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 10:58			
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 11:02			
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 11:03			
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 11:03			
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2004/12/07 11:03			